

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.10.2018

Version number 99

Revision: 19.04.2018

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trade name:** GRIFFON PE CLEANER HEAVY DUTY BOT 1L\*12 L105

**CAS Number:**

92045-53-9

**EC number:**

927-510-4

**Index number:**

649-328-00-1

**Registration number** 01-2119475515-33

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Cleaning agent/ Cleaner

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer(1)/Supplier(2):**

1

Bison International

Dr.A.F.Philipsstraat 9

NL-4462 EW Goes

PO Box 160

NL-4460 AD Goes

tel. +31 88 3235700

fax. +31 88 3235800

e mail: sds@boltonadhesives.com

**Further information obtainable from:** Bison QESH

**1.4 Emergency telephone number:** +31 88 3235700

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 2      H225 Highly flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1      H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Chronic 2      H411 Toxic to aquatic life with long lasting effects.



GHS07

(Contd. on page 2)

GB-EN

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.10.2018

Version number 99

Revision: 19.04.2018

**Trade name:** GRIFFON PE CLEANER HEAVY DUTY BOT 1L\*12 L105

(Contd. of page 1)

Skin Irrit. 2            H315 Causes skin irritation.  
STOT SE 3            H336 May cause drowsiness or dizziness.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The substance is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS02   GHS07   GHS08   GHS09

**Signal word** Danger**Hazard-determining components of labelling:**

Naphtha (petroleum), hydrodesulfurized light dearomatized cyclohexane

**Hazard statements**

H225 Highly flammable liquid and vapour.  
H315 Causes skin irritation.  
H336 May cause drowsiness or dizziness.  
H304 May be fatal if swallowed and enters airways.  
H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P101            If medical advice is needed, have product container or label at hand.  
P102            Keep out of reach of children.  
P210            Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
                    No smoking.  
P261            Avoid breathing vapours.  
P301+P310    IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P331            Do NOT induce vomiting.  
P370+P378    In case of fire: Use to extinguish: Water haze, Alcohol resistant foam, Fire-extinguishing powder, Carbon dioxide.  
P403+P233    Store in a well-ventilated place. Keep container tightly closed.  
P501            Dispose of contents/container in accordance with national regulations.

**2.3 Other hazards****Results of PBT and vPvB assessment**

**PBT:** Not applicable.  
**vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

**3.1 Substances****CAS No. Description**

92045-53-9 Naphtha (petroleum), hydrodesulfurized light dearomatized

**Identification number(s)**

**EC number:** 927-510-4  
**Index number:** 649-328-00-1

(Contd. on page 3)

GB-EN

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.10.2018

Version number 99

Revision: 19.04.2018

**Trade name:** GRIFFON PE CLEANER HEAVY DUTY BOT 1L\*12 L105

(Contd. of page 2)

**. Dangerous components:**

EC number: 927-510-4 Reg.nr.: 01-2119475515-33	Naphtha (petroleum), hydrodesulfurized light dearomatized ⚠ Flam. Liq. 2, H225; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; STOT SE 3, H336	50-100%
CAS: 110-82-7 EINECS: 203-806-2 Reg.nr.: 01-2119463273-41	cyclohexane ⚠ Flam. Liq. 2, H225; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Acute 1, H400; ⚠ Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; STOT SE 3, H336	1-2.5%

**SECTION 4: First aid measures****. 4.1 Description of first aid measures****. General information:** No special measures required.**. After inhalation:**

In case of unconsciousness place patient stable in side position for transportation.

**. After skin contact:** Immediately wash with water and soap and rinse thoroughly.**. After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**. After swallowing:** Do not induce vomiting; call for medical help immediately.**. 4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**. 4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****. 5.1 Extinguishing media****. Suitable extinguishing agents:**

Water haze

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

**. For safety reasons unsuitable extinguishing agents:** Water with full jet**. 5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

**. 5.3 Advice for firefighters****. Protective equipment:** Mount respiratory protective device.**. Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures****. 6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

GB-EN

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 16.10.2018

Version number 99

Revision: 19.04.2018

**Trade name:** GRIFFON PE CLEANER HEAVY DUTY BOT 1L\*12 L105

(Contd. of page 3)

- . **6.2 Environmental precautions:**  
Prevent seepage into sewage system, workpits and cellars.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- . **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- . **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- . **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.  
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
- . **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- . **7.2 Conditions for safe storage, including any incompatibilities**  
. **Storage:**  
. **Requirements to be met by storerooms and receptacles:** Store in a cool location.  
. **Information about storage in one common storage facility:** Not required.  
. **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- . **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- . **Additional information about design of technical facilities:** No further data; see item 7.

#### 8.1 Control parameters

- . **Ingredients with limit values that require monitoring at the workplace:**

#### 110-82-7 cyclohexane

WEL (Great Britain)	Short-term value: 1050 mg/m <sup>3</sup> , 300 ppm Long-term value: 350 mg/m <sup>3</sup> , 100 ppm
IOELV (European Union)	Long-term value: 700 mg/m <sup>3</sup> , 200 ppm

- . **Additional information:** The lists valid during the making were used as basis.

#### 8.2 Exposure controls

- . **Personal protective equipment:**
- . **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing

(Contd. on page 5)

GB-EN

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 16.10.2018

Version number 99

Revision: 19.04.2018

**Trade name:** GRIFFON PE CLEANER HEAVY DUTY BOT 1L\*12 L105

(Contd. of page 4)

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

**Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

**Recommended filter device for short term use:** Filter A

**Protection of hands:**

Protective gloves

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

Recommended thickness of the material: > 0,12 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

**Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

**Eye protection:**



Tightly sealed goggles

**Body protection:**

Use protective suit.

Solvent resistant protective clothing

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

**Appearance:**

**Form:**

Liquid

**Colour:**

Transparent

**Odour:**

Characteristic

**Odour threshold:**

Not determined.

**pH-value:**

Not determined.

**Change in condition**

**Melting point/freezing point:**

-50 °C

(Contd. on page 6)

GB-EN

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.10.2018

Version number 99

Revision: 19.04.2018

**Trade name:** GRIFFON PE CLEANER HEAVY DUTY BOT 1L\*12 L105

(Contd. of page 5)

<b>Initial boiling point and boiling range:</b>	162 °C
. <b>Flash point:</b>	<0 °C
. <b>Flammability (solid, gas):</b>	Not applicable.
. <b>Ignition temperature:</b>	450 °C
. <b>Decomposition temperature:</b>	Not determined.
. <b>Auto-ignition temperature:</b>	Not determined.
. <b>Explosive properties:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
. <b>Explosion limits:</b>	
<b>Lower:</b>	0.7 Vol %
<b>Upper:</b>	7.5 Vol %
. <b>Vapour pressure at 20 °C:</b>	5 hPa
. <b>Density at 20 °C:</b>	0.7085 g/cm <sup>3</sup>
. <b>Relative density</b>	Not determined.
. <b>Vapour density</b>	Not determined.
. <b>Evaporation rate</b>	Not determined.
. <b>Solubility in / Miscibility with water at 20 °C:</b>	0.05 g/l
. <b>Partition coefficient: n-octanol/water:</b>	Not determined.
. <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>Organis solvents:</b>	100.0 %
. <b>9.2 Other information</b>	All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture.

### SECTION 10: Stability and reactivity

- . **10.1 Reactivity** No further relevant information available.
- . **10.2 Chemical stability**
- . **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- . **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- . **10.4 Conditions to avoid** No further relevant information available.
- . **10.5 Incompatible materials:** No further relevant information available.
- . **10.6 Hazardous decomposition products:** Danger of forming toxic pyrolysis products.

### SECTION 11: Toxicological information

- . **11.1 Information on toxicological effects**
- . **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB-EN

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.10.2018

Version number 99

Revision: 19.04.2018

**Trade name:** GRIFFON PE CLEANER HEAVY DUTY BOT 1L\*12 L105

(Contd. of page 6)

**. LD/LC50 values relevant for classification:****110-82-7 cyclohexane**

Oral LD50 12,705 mg/kg (rat)

**. Primary irritant effect:****. Skin corrosion/irritation**

Causes skin irritation.

**. Serious eye damage/irritation** Based on available data, the classification criteria are not met.**. Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**. CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)****. Germ cell mutagenicity** Based on available data, the classification criteria are not met.**. Carcinogenicity** Based on available data, the classification criteria are not met.**. Reproductive toxicity** Based on available data, the classification criteria are not met.**. STOT-single exposure**

May cause drowsiness or dizziness.

**. STOT-repeated exposure** Based on available data, the classification criteria are not met.**. Aspiration hazard**

May be fatal if swallowed and enters airways.

**SECTION 12: Ecological information****. 12.1 Toxicity****. Aquatic toxicity:** No further relevant information available.**. 12.2 Persistence and degradability** No further relevant information available.**. 12.3 Bioaccumulative potential** No further relevant information available.**. 12.4 Mobility in soil** No further relevant information available.**. Ecotoxicological effects:****. Remark:** Toxic for fish**. Additional ecological information:****. General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

**. 12.5 Results of PBT and vPvB assessment****. PBT:** Not applicable.**. vPvB:** Not applicable.**. 12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations****. 13.1 Waste treatment methods****. Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**. Uncleaned packaging:****. Recommendation:**

Disposal must be made according to official regulations.

(Contd. on page 8)

GB-EN

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.10.2018

Version number 99






Revision: 19.04.2018

**Trade name:** GRIFFON PE CLEANER HEAVY DUTY BOT 1L\*12 L105

(Contd. of page 7)

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

**SECTION 14: Transport information**

. 14.1 UN-Number . ADR/ADN, IMDG, IATA	UN1206
. 14.2 UN proper shipping name . ADR/ADN . IMDG . IATA	1206 HEPTANES, ENVIRONMENTALLY HAZARDOUS HEPTANES, MARINE POLLUTANT HEPTANES
. 14.3 Transport hazard class(es) . ADR/ADN	 
. Class . Label	3 (F1) Flammable liquids. 3
. IMDG	 
. Class . Label	3 Flammable liquids. 3
. IATA	
. Class . Label	3 Flammable liquids. 3
. 14.4 Packing group . ADR/ADN, IMDG, IATA	II
. 14.5 Environmental hazards:  . Marine pollutant:  . Special marking (ADR/ADN):	Product contains environmentally hazardous substances: Naphtha (petroleum), hydrotreated light Yes Symbol (fish and tree) Symbol (fish and tree)
. 14.6 Special precautions for user . Danger code (Kemler): . EMS Number:	Warning: Flammable liquids. 33 F-E,S-D

(Contd. on page 9)

GB-EN



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.10.2018

Version number 99

Revision: 19.04.2018

**Trade name:** GRIFFON PE CLEANER HEAVY DUTY BOT 1L\*12 L105

(Contd. of page 8)

. <b>Stowage Category</b>	B
. <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
. <b>Transport/Additional information:</b>	
. <b>ADR/ADN</b>	
. <b>Limited quantities (LQ)</b>	1L
. <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
. <b>Transport category</b>	2
. <b>Tunnel restriction code</b>	D/E
. <b>IMDG</b>	
. <b>Limited quantities (LQ)</b>	1L
. <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
. <b>Remarks:</b>	Under certain conditions substances in Class 3 (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2
. <b>UN "Model Regulation":</b>	UN 1206 HEPTANES, 3, II, ENVIRONMENTALLY HAZARDOUS

**SECTION 15: Regulatory information**

- . **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- . **Directive 2012/18/EU**
- . **Named dangerous substances - ANNEX I** Substance is not listed.
- . **Seveso category**  
E2 Hazardous to the Aquatic Environment  
P5c FLAMMABLE LIQUIDS
- . **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- . **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- . **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 57
- . **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- . **Relevant phrases**  
H225 Highly flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.

(Contd. on page 10)

GB-EN

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 16.10.2018

Version number 99

Revision: 19.04.2018

**Trade name:** GRIFFON PE CLEANER HEAVY DUTY BOT 1L\*12 L105

(Contd. of page 9)

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

**Classification according to Regulation (EC) No 1272/2008**

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

**Department issuing SDS:** Bison QESH

**Contact:** Reach coördinator

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

**\* Data compared to the previous version altered.**

GB-EN